


# Designed for horses with severe asthma



Not for use in humans. Keep this and all medications out of the reach of children.  
In case of accidental inhalation, seek medical advice immediately.

# Designed for horses with severe asthma



## EASY TO USE

✓	Nostril adapter
✓	BreathView® breath indicator
✓	Single use
✓	Single-hand maneuver
✓	Single treatment protocol
✓	Fill indicator

## DESIGNED FOR HORSES

✓	Snug fit in the left nostril serves as reservoir for the drug
✓	Easy timing with beginning of inhalation
✓	Minimizes risk for cross-contamination between horses
✓	Second hand is free to aid in handling the horse
✓	One dose fits all



# ASERVO® EQUIHALER® (ciclesonide inhalation spray)



---

Soft Mist™ is easily inhaled into the lower airway<sup>1</sup>

---

Local drug activity deep within the lung<sup>2</sup>

---

Proven safe<sup>3,4</sup>

---

Prodrug reduces inflammation to decrease airway obstruction<sup>2</sup>

---

Accepted by >93% of horses<sup>5</sup>

---

Studied in over 600 horses under controlled and field conditions<sup>3,5,6</sup>

\*Treated with ASERVO EQUIHALER or placebo.

Inhaled glucocorticoids should be used with caution, if at all, in horses with active infection of the respiratory tract. If clinical signs do not improve or worsen despite administration of ASERVO EQUIHALER, the prescriber should consider additional diagnostic evaluation.

1. Dalby, R., Spallek, M. and Voshaar, T., 2004. A review of the development of Respimat® Soft Mist™ Inhaler. International journal of pharmaceuticals, 283(1-2), pp.1-9.
2. Mukker, J.K., Singh, R.S.P. and Derendorf, H., 2016. Ciclesonide: a pro-soft drug approach for mitigation of side effects of inhaled corticosteroids. Journal of pharmaceutical sciences, 105(9), pp.2509-2514.
3. Lavoie, J.P., Bullone, M., Rodrigues, N., Germim, P., Albrecht, B. and von Salis Soglio, M., 2019. Effect of different doses of inhaled ciclesonide on lung function, clinical signs related to airflow limitation and serum cortisol levels in horses with experimentally induced mild to severe airway obstruction. Equine veterinary journal.
4. Derom, E., Van De Velde, V., Marissens, S., Engelstätter, R., Vincken, W. and Pauwels, R., 2005. Effects of inhaled ciclesonide and fluticasone propionate on cortisol secretion and airway responsiveness to adenosine 5' monophosphate in asthmatic patients. Pulmonary pharmacology & therapeutics, 18(5), pp.328-336.
5. Prescribing Information. Aservo® EquiHaler® (ciclesonide inhalation spray), 343 mcg/actuation, glucocorticoid
6. Freedom of Information Summary. 2020. Original New Drug Animal Application. Aservo® EquiHaler® (ciclesonide inhalation spray)
7. Capstick, T.G., Clifton, I.J., Lavorini, Crompton, Broeders, Horne, Horne, Menckeberg, Cochrane, Horne and Newman, 2012. Inhaler technique and training in people with chronic obstructive pulmonary disease and asthma. Expert review of respiratory medicine, 6(1), pp.91-103.
8. Tamura, G., 2015. Comparison of the aerosol velocity of Respimat® soft mist inhaler and seven pressurized metered dose inhalers. Allergy International, 64(4), pp.390-392.
9. Hänsel, M., Bambach, T. and Wachtel, H., 2019. Reduced Environmental Impact of the Reusable Respimat® Soft Mist™ Inhaler Compared with Pressurised Metered-Dose Inhalers. Advances in therapy, 36(9), pp.2487-2492.
10. Cuming, R.S., Groover, E.S., Wooldridge, A.A. and Caldwell, F.J., 2018. Review of glucocorticoid therapy in horses. Part 1: Pharmacology. Equine Veterinary Education, 30(3), pp.141-150.